




密閉型マンホールふた（完全防水・防臭形）

形 状	製品符号	呼び径	価 格		破壊荷重（kN）		安全荷重（kN）		W.G.T kg	備 考
			鋳 鉄	ダクテツ	鋳 鉄	ダクテツ	鋳 鉄	ダクテツ		
	WPM-A	φ450	72,200	85,200	60	200	15	50	36.4	国土交通省 WPM-A鋳鉄 国土交通省 WPM-Dダクテツ SHASE-S209 公共建築協会評価対象品
		φ600	129,800	156,200					69.4	
	WPM-AA	φ450	67,500	—	20	—	5	—	32.2	国土交通省 WPM-B SHASE-S209 公共建築協会評価対象品
		φ600	113,600	—					55.8	
	WPM-AL（鍵付）	φ450	89,000	112,400	60	200	15	50	36.4	鍵付
		φ600	146,200	189,800					69.4	
	WPM-B（鍵付）	φ600	286,000	304,600	120	400	30	100	112.0	鍵付
	WPM-C（鍵付）	φ600	240,000	—	—	—	—	—	87.4	鍵付
	WPM-H （ボルト締付型）	φ300	31,600	42,300	60	200	15	50	17.0	ボルト締付型 ※SHASE-S209
		φ350	38,600	50,100					23.1	
		φ450※	50,900	64,000					30.0	
		φ500※	63,200	89,400					37.0	
		φ600※	81,400	100,700					49.9	
	WPM-HR （ボルト締付型）	φ600	78,200	108,900	60	200	15	50	44.1	ボルト締付型
	ボックスハンドル	—	3,200		—	—	—	—	—	(WPM-H、WPM-HR)

水封マンホールふた(防臭形)

形 状	製品符号	呼び径	価 格				破壊荷重 (kN)		安全荷重 (kN)		W.G.T kg	備 考
			鑄 鉄		ダクテツ		鑄鉄	ダクテツ	鑄鉄	ダクテツ		
			鎖付	鎖無し	鎖付	鎖無し						
	MHAA-S (文字なし)	φ 300	19,100	18,300	24,200	23,400	60	200	15	50	17.0	国土交通省 MHA鑄鉄 国土交通省 MHDダクテツ SHASE-S209 公共建築協会評価対象品
		φ 350	23,300	22,500	30,600	29,800					23.1	
		φ 400	30,200	29,300	35,700	34,800					27.8	
		φ 450	31,000	30,100	38,600	37,700					30.0	
	MHA-S (文字入り)	φ 500	40,400	39,500	48,900	48,000					38.0	
		φ 600	50,500	49,600	66,600	65,700					51.0	
		φ 750	179,300	178,200	208,000	206,900					114.0	
		φ 900	238,500	237,400	277,500	276,400					165.7	
	MHBB-S (文字なし)	φ 300	16,300	15,500	—	—	20	—	5	—	14.0	国土交通省 呼称MHB SHASE-S209 公共建築協会評価対象品
		φ 350	19,500	18,700	—	—					16.0	
		φ 400	24,200	23,300	—	—					20.3	
		φ 450	25,600	24,700	—	—					22.0	
	MHB-S (文字入り)	φ 500	33,200	32,300	—	—					27.2	
		φ 600	37,900	37,000	—	—					35.0	
	MHAA-R (文字なし)	φ 300	18,000	17,200	23,000	22,200	60	200	15	50	15.0	
		φ 350	22,900	22,100	30,200	29,400					19.8	
		φ 400	28,600	27,700	34,100	33,200					23.9	
		φ 450	28,800	27,900	36,400	35,500					26.0	
	MHA-R (文字入り)	φ 500	38,400	37,500	46,900	46,000					33.0	
		φ 600	48,700	47,800	64,800	63,900					46.0	
		φ 750	158,100	157,000	186,800	185,700					106.0	
		φ 900	212,700	211,600	251,700	250,600					143.5	
	MHBB-R (文字なし)	φ 300	14,900	14,100	—	—	20	—	5	—	13.0	
		φ 350	17,600	16,800	—	—					14.0	
		φ 400	22,500	21,600	—	—					18.8	
		φ 450	23,700	22,800	—	—					19.0	
	MHB-R (文字入り)	φ 500	30,800	29,900	—	—					23.5	
		φ 600	36,200	35,300	—	—					30.0	
	MHAA-RCR(文字なし) MHA-RCR(文字入り)	φ 600	67,300	66,500	83,500	82,700	60	200	15	50	53.5	
	MGV2-600-K	φ 600	—	—	—	128,700	—	400	—	50	60.8	耐重用
	MGV2-600	φ 600	—	—	—	128,700	—	400	—	50	61.4	耐重用

簡易密閉形マンホールふた（簡易防水・防臭形）

形 状	製品符号	呼び径	価 格				破壊荷重 (kN)		安全荷重 (kN)		W.G.T kg	備 考							
			鋳 鉄		ダクテツ		鋳鉄	ダクテツ	鋳鉄	ダクテツ									
			鎖付	鎖無し	鎖付	鎖無し													
	MHAA-SP (文字なし)	φ 300	21,000	20,200	26,100	25,300	60	200	15	50	17.0	国土交通省 MHA-P鋳鉄 国土交通省 MHD-Pダクテツ SHASE-S209 公共建築協会評価対象品							
		φ 350	25,300	24,500	32,600	31,800					23.1								
		φ 400	32,400	31,500	37,900	37,000					27.8								
		φ 450	33,400	32,500	41,000	40,100					30.0								
	MHA-SP (特殊文字対応品)	φ 500	42,900	42,000	51,400	50,500					38.0								
		φ 600	53,400	52,500	69,500	68,600					51.0								
		φ 750	194,000	193,000	222,500	221,400					114.0								
		φ 900	256,700	255,700	304,600	303,500					165.7								
	MHBB-SP (文字なし)	φ 300	18,200	17,400	—	—	20	—	5	—	14.0	国土交通省 呼称MHB-P SHASE-S209 公共建築協会評価対象品							
		φ 350	21,500	20,700	—	—					16.0								
		φ 400	26,400	25,500	—	—					20.3								
		φ 450	28,000	27,100	—	—					22.0								
	MHB-SP (特殊文字対応品)	φ 500	35,700	34,800	—	—					27.2								
		φ 600	40,800	39,900	—	—					35.0								
			MHAA-RP (文字なし)	φ 300	19,900	19,100					24,900		24,100	60	200	15	50	15.0	
				φ 350	24,900	24,100					32,200		31,400					19.8	
φ 400	30,800			29,900	36,300	35,400	23.9												
φ 450	31,200			30,300	38,800	37,900	26.0												
MHA-RP (特殊文字対応品)	φ 500		40,900	40,000	49,400	48,500	33.0												
	φ 600		51,600	50,700	67,700	66,800	46.0												
	φ 750		172,900	171,800	201,300	200,200	114.0												
	φ 900		231,000	229,900	278,800	277,700	165.7												
	MHBB-RP (文字なし)	φ 300	16,800	16,000	—	—	20	—	5	—	13.0								
		φ 350	19,600	18,800	—	—					14.0								
		φ 400	24,700	23,800	—	—					18.8								
		φ 450	26,100	25,200	—	—					19.0								
	MHB-RP (特殊文字対応品)	φ 500	33,300	32,400	—	—					23.5								
		φ 600	39,100	38,200	—	—					30.0								
			MHAA-PCR(文字なし) MHA-PCR(特殊文字対応品)	φ 600	70,200	69,400					86,400		85,600	60	200	15	50	53.5	
				MHAA-S-PLK	φ 600	—					78,900		—	94,700	60	200	15	50	51.0
	専用ハンドル (2本セット)	—		3,000				—	—	—	—	—	(MHAA-S-PLK)						

※特殊文字は別途価格になります。また、型代が必要になる場合があります。

落とし込み式マンホールふた（下水道用）

形 状	製品符号	呼び径	価 格		W.G.T kg	備 考
			鑄 鉄	ダクテツ		
	JIS-A5506	φ 600	—	159,300	109.0	ダクテツ製品 公道用