


ダクタイル鋳鉄管・鋼管用 ステンレス製密着コア CORE-MGS


単位：円



呼び径	価 格	重量(kg)
40	9,230	0.02
50	9,860	
75× 75	13,100	0.2
100~600× 75	13,100	
100×100	16,130	
150~600×100	16,130	
150×150	23,780	
200~600×150	23,780	
400~600×150	23,780	

※専用挿入機が必要

樹脂製コア CORE-J



樹脂製コア本体

単位：円

呼び径	価 格	重量(kg)
75~600× 40	830	0.01
75~600× 50	870	
75× 75	1,220	0.02
100~600× 75	1,220	
100×100	3,900	0.03
150~500×100	3,900	
150×150	6,340	0.1
200~600×150	6,340	

樹脂製コア用挿入口ッド棒 ()-ROD-J*1

単位：円


呼び径	価 格
40	18,200
50	19,400
75	23,100
100	48,600
150	59,200

●既存コスモローラーに樹脂製コアを取り付けることにより挿入可能となります。

※1 部品型式は穿孔機型式とあわせてご用命ください。
(例:SD1-ROD-J)

【参考掘削図】 $\phi 75(3B) \times \phi 40 \sim \phi 200(8B) \times \phi 50$

※ 鋳鉄管用になります



単位:mm


分岐形状	呼び径	A	B	C	E	F	H	J	K	L	M
N式	75(3B)×40	1100	1600	400	600	200	156	465	450	170	700
	100(4B)×40		1650						500		
	125(5B)×40		1750						550		
	150(6B)×40										
	200(8B)×40										
	75(3B)×50	1100	1600	400	600	200	176	465	450	170	700
	100(4B)×50		1650						500		
	125(5B)×50		1750						550		
150(6B)×50											
200(8B)×50											
U式	75(3B)×40	1100	1600	400	600	200	156	465	450	170	700
	100(4B)×40		1650						500		
	125(5B)×40		1750						550		
	150(6B)×40										
	200(8B)×40										
	75(3B)×50	1100	1600	400	600	200	176	465	450	170	700
	100(4B)×50		1650						500		
	125(5B)×50		1750						550		
150(6B)×50											
200(8B)×50											
F式	75(3B)×50	1100	1600	400	600	200	176	465	450	170	700
	100(4B)×50		1650						500		
	125(5B)×50		1750						550		
	150(6B)×50										
	200(8B)×50										

※N=内ネジ U=外ネジ F=フランジ

【参考掘削図】 ※ 鑄鉄管用になります

φ75×φ75~φ200×φ200

φ250×φ75~φ600×φ300



単位:mm

呼び径	A	B	C	E	F	G	H	J	K	L	M
75×75	1050	1950	400	600	300	480	315	421	450	209	1050
100×75	1100	2000						1000			
125×75		2050							264		
150×75		268									
200×75									2150	550	
100×100		2050							264		
125×100										268	
150×100		2150							500		
200×100		1150								2200	348
150×150		1200							2250	398	
200×150			2300	1200							
200×200	1200	2300	1200								
250×75	1200	2250		400	600	300	1600	315	400	650	400
300×75	1350	2350	450								
350×75							1450		2450	500	
400×75	1550	2550	550								
450×75							1750		2650	800	
500×75	1800	2700	850								
600×75							1200		2300	400	
250×100	1350	2350	400								
300×100							2400				
350×100	1450	2450	450								
400×100				2500							
450×100	1550	2550	500								
500×100				1850	2700	800					
600×100	1750	2750	850								
250×150				1200	2400	400					
300×150	1350	2450	400								
350×150				1450	2550	450					
400×150	2600										
450×150		1550	2650	500							
500×150	1900				2750	800					
600×150		1800	2800	850							
250×200	1400				2450	400					
300×200	1350	2500	400								
350×200				1450	2550	450					
400×200	1550	2600	450								
450×200				1600	2650	500					
500×200	1700	2700	500								
600×200				1950	2800	800					
250×250	1400	3100	400								
300×250	1700	3150		400							
350×250			1450		2550	450					
400×250	1550	3250		450							
450×250			1600		3350	500					
500×250	1700	3450		500							
600×250			1500		3200	400					
300×300	1700	3200	400								
400×300				1550	3300	450					
450×300	1600	3400	500								
500×300				1700	3500	500					
600×300	2500	600									
250×250	1400		3100	400							
300×250		1700			3150	400					
350×250	1450		2550	450							
400×250		1550			3250	450					
450×250	1600		3350	500							
500×250		1700			3450	500					
600×250	1500		3200	400							
300×300	1700	3200	400								
400×300				1550	3300	450					
450×300	1600	3400	500								
500×300				1700	3500	500					
600×300	2500	600									
250×250	1400		3100	400							
300×250		1700			3150	400					
350×250	1450		2550	450							
400×250		1550			3250	450					
450×250	1600		3350	500							
500×250		1700			3450	500					
600×250	1500		3200	400							
300×300	1700	3200	400								
400×300				1550	3300	450					
450×300	1600	3400	500								
500×300				1700	3500	500					
600×300	2500	600									
250×250	1400		3100	400							
300×250		1700			3150	400					
350×250	1450		2550	450							
400×250		1550			3250	450					
450×250	1600		3350	500							
500×250		1700			3450	500					
600×250	1500		3200	400							
300×300	1700	3200	400								
400×300				1550	3300	450					
450×300	1600	3400	500								
500×300				1700	3500	500					
600×300	2500	600									