





# NS形種管用 EBT-FSNE/EBT-FUNE/EBT-UNEUNE/EBT-UNESNE/EBT-SNESNE


フランジ (F)



受口 NS形種管 (UNE)



挿口 NS形種管 (SNE)



単位：mm (重量：kg)


呼び径	口金形状	偏心量 100mm				偏心量 200mm				偏心量 300mm			
		価格	L <sub>s</sub>	l	重量	価格	L <sub>s</sub>	l	重量	価格	L <sub>s</sub>	l	重量
75	F × SNE	469,000	770	770	45	532,000	1,040	1,040	50	591,000	1,320	1,320	56
	F × UNE	521,000	600	561	48	585,000	870	831	53	636,000	1,150	1,111	59
	UNE × UNE	651,000	610	532	49	710,000	880	802	54	758,000	1,160	1,082	60
	UNE × SNE	598,000	780	741	47	658,000	1,050	1,011	52	718,000	1,330	1,291	58
	SNE × SNE	549,000	950	950	44	605,000	1,220	1,220	49	668,000	1,500	1,500	55
100	F × SNE	601,000	810	810	63	650,000	1,090	1,090	70	714,000	1,360	1,360	77
	F × UNE	651,000	650	611	66	702,000	930	891	73	766,000	1,200	1,161	80
	UNE × UNE	774,000	670	592	68	825,000	950	872	75	886,000	1,220	1,142	82
	UNE × SNE	734,000	830	791	65	772,000	1,110	1,071	72	833,000	1,380	1,341	79
	SNE × SNE	673,000	990	990	61	718,000	1,270	1,270	68	779,000	1,540	1,540	75
150	F × SNE	767,000	900	900	91	921,000	1,210	1,210	100	1,027,000	1,510	1,510	112
	F × UNE	817,000	690	651	93	971,000	1,000	961	102	1,078,000	1,300	1,261	114
	UNE × UNE	934,000	710	632	107	1,080,000	1,020	942	108	1,190,000	1,320	1,242	120
	UNE × SNE	884,000	920	881	105	1,029,000	1,230	1,191	106	1,139,000	1,530	1,491	118
	SNE × SNE	833,000	1,130	1,130	103	977,000	1,440	1,440	104	1,088,000	1,740	1,740	116

※受口タイプには、接合部付属品は含まれておりません。 ※偏心量400mmに関しては弊社までお問い合わせください。  
 ※0.75MPaタイロッドが標準で付属しております。1.0MPa以上のタイロッドに関してはお問い合わせください。


# NS形用 EBT-FSN /EBT-FUN /EBT-UNUN /EBT-UNSN /EBT-SNSN EB2T-FSN/EB2T-FUN/EB2T-UNUN/EB2T-UNSN/EB2T-SNSN

※UN呼び径75～450とSN呼び径200～450の型式はEB2Tです。


フランジ (F)




75～250の形状  
挿口 NS形 (SN)




300以上の形状  
挿口 NS形 (SN)



75～250の形状  
受口 NS形 (UN)



300以上の形状  
受口 NS形 (UN)



単位：mm (重量：kg)

呼び径	口金形状	偏心量 100mm				偏心量 200mm				偏心量 300mm			
		価格	L <sub>s</sub>	l	重量	価格	L <sub>s</sub>	l	重量	価格	L <sub>s</sub>	l	重量
75	F × SN	460,000	775	775	47	520,000	1,045	1,045	52.50	569,000	1,325	1,325	59
	F × UN	510,000	674	520	52	573,000	944	790	57.50	633,000	1,224	1,070	64
	UN × UN	658,000	758	450	56	716,000	1,028	720	61.50	767,000	1,308	1,000	68
	UN × SN	605,000	859	705	51	666,000	1,129	975	56.50	726,000	1,409	1,255	63
	SN × SN	554,000	960	960	45	612,000	1,230	1,230	50.50	674,000	1,510	1,510	57
100	F × SN	579,000	840	840	66	633,000	1,120	1,120	72.50	707,000	1,390	1,390	80
	F × UN	633,000	734	570	74	689,000	1,014	850	80.50	745,000	1,284	1,120	64
	UN × UN	782,000	838	510	80	832,000	1,118	790	86.50	901,000	1,388	1,060	94
	UN × SN	740,000	944	780	73	785,000	1,224	1,060	56.50	866,000	1,494	1,330	63
	SN × SN	680,000	1,050	1,050	65	765,000	1,330	1,330	71.50	844,000	1,600	1,600	79
150	F × SN	765,000	885	885	90	889,000	1,195	1,195	101.50	1,030,000	1,495	1,495	111
	F × UN	807,000	780	610	101	952,000	1,090	920	112.50	1,093,000	1,390	1,220	122
	UN × UN	1,038,000	890	550	111	1,123,000	1,200	860	122.50	1,264,000	1,500	1,160	132
	UN × SN	935,000	995	825	100	1,038,000	1,305	1,135	111.50	1,163,000	1,605	1,435	121
	SN × SN	889,000	1,100	1,100	90	992,000	1,410	1,410	101.50	1,135,000	1,710	1,710	111
200	F × SN	978,000	960	960	131	1,155,000	1,270	1,270	144.50	1,301,000	1,590	1,590	162
	F × UN	1,009,000	848	670	144	1,196,000	1,158	980	157.50	1,309,000	1,478	1,300	175
	UN × UN	1,190,000	956	600	158	1,353,000	1,266	910	171.50	1,469,000	1,586	1,230	189
	UN × SN	1,142,000	1,068	890	145	1,302,000	1,378	1,200	158.50	1,428,000	1,698	1,520	176
	SN × SN	1,136,000	1,180	1,180	133	1,310,000	1,490	1,490	146.50	1,451,000	1,810	1,810	164

※フランジは7.5K仕様です。高圧仕様はお問い合わせください。 ※偏心量400mmに関しては弊社までお問い合わせください。  
 ※0.75MPaタイロッドが標準で付属しております。1.0MPa以上のタイロッドに関してはお問い合わせください。  
 75～250 ※受口タイプには、NS形ゴム輪、セットボルト、屈曲防止リング・固定用ゴム、ロックリング、ロックリング芯出し用ゴムが含まれております。

# NS形用 EBT-FSN /EBT-FUN /EBT-UNUN /EBT-UNSN /EBT-SNSN EB2T-FSN/EB2T-FUN/EB2T-UNUN/EB2T-UNSN/EB2T-SNSN


※UN呼び径75～450とSN呼び径200～450の型式はEB2Tです。  
※図面は前ページを御参照ください。

単位：mm (重量：kg)

呼び径	口金形状	偏心量 100mm				偏心量 200mm				偏心量 300mm			
		価格	L <sub>s</sub>	ℓ	重量	価格	L <sub>s</sub>	ℓ	重量	価格	L <sub>s</sub>	ℓ	重量
250	F × SN	1,271,000	1,010	1,010	190	1,434,000	1,350	1,350	215	1,651,000	1,680	1,680	240
	F × UN	1,313,000	898	720	203	1,497,000	1,238	1,060	230	1,676,000	1,568	1,390	253
	UN × UN	1,535,000	1,006	650	221	1,702,000	1,346	990	246	1,876,000	1,676	1,320	271
	UN × SN	1,514,000	1,118	940	207	1,645,000	1,458	1,280	232	1,818,000	1,788	1,610	257
	SN × SN	1,405,000	1,230	1,230	194	1,590,000	1,570	1,570	219	1,759,000	1,900	1,900	244
300	F × SN	1,405,000	1,165	1,165	275	1,660,000	1,495	1,495	308	1,909,000	1,845	1,845	340
	F × UN	1,478,000	921	780	272	1,779,000	1,251	1,110	304	1,994,000	1,601	1,460	336
	UN × UN	1,751,000	992	710	297	2,048,000	1,322	1,040	318	2,269,000	1,672	1,390	359
	UN × SN	1,670,000	1,236	1,095	301	1,948,000	1,566	1,425	332	2,211,000	1,916	1,775	364
	SN × SN	1,621,000	1,480	1,480	303	1,844,000	1,810	1,810	333	2,142,000	2,160	2,160	367
350	F × SN	1,736,000	1,300	1,300	380	1,951,000	1,610	1,610	381	2,303,000	1,990	1,990	418
	F × UN	1,836,000	1,026	885	353	2,068,000	1,336	1,195	312	2,433,000	1,716	1,575	418
	UN × UN	2,135,000	1,082	800	394	2,420,000	1,392	1,110	423	2,770,000	1,772	1,490	459
	UN × SN	2,037,000	1,356	1,215	450	2,286,000	1,666	1,525	424	2,636,000	2,046	1,905	457
	SN × SN	1,933,000	1,630	1,630	390	2,154,000	1,940	1,940	419	2,503,000	2,320	2,230	455
400	F × SN	2,134,000	1,355	1,355	434	2,432,000	1,675	1,675	479	2,881,000	2,065	2,065	526
	F × UN	2,378,000	1,068	925	426	2,664,000	1,388	1,245	470	3,068,000	1,778	1,635	515
	UN × UN	2,729,000	1,116	830	460	3,010,000	1,436	1,150	512	3,411,000	1,826	1,540	530
	UN × SN	2,488,000	1,403	1,260	469	2,822,000	1,723	1,580	511	3,226,000	2,113	1,970	558
	SN × SN	2,246,000	1,690	1,690	478	2,556,000	2,010	2,010	520	3,039,000	2,400	2,400	567
450	F × SN	2,717,000	1,395	1,395	553	3,036,000	1,705	1,705	603	3,610,000	2,085	2,085	661
	F × UN	3,001,000	1,108	965	535	3,324,000	1,418	1,275	585	3,809,000	1,798	1,665	643
	UN × UN	3,704,000	1,166	880	573	3,849,000	1,476	1,190	623	4,426,000	1,856	1,570	681
	UN × SN	3,311,000	1,453	1,310	593	3,642,000	1,763	1,620	643	4,091,000	2,143	2,000	701
	SN × SN	2,993,000	1,740	1,740	614	3,329,000	2,050	2,050	664	3,870,000	2,430	2,430	722

※フランジは7.5K仕様です。高圧仕様はお問い合わせください。  
※呼び径500以上に関しては弊社までお問い合わせください。 ※偏心量400mmに関しては弊社までお問い合わせください。  
※0.75MPaタイロッドが標準で付属しております。1.0MPa以上のタイロッドに関してはお問い合わせください。  
75～250 ※受口タイプには、NS形ゴム輪、セットボルト、屈曲防止リング・固定用ゴム、ロックリング、ロックリング芯出し用ゴムが含まれております。  
300～450 ※受口タイプには、NS形ゴム輪、軽量T頭ボルト・ナット、押輪、バックアップリング、ロックリング、ロックリング芯出し用ゴムが含まれております。

## K形用 EBT-FF/EBT-FS/EBT-FU/EBT-UU/EBT-US/EBT-SS



単位：mm (重量：kg)

呼び径	口金形状	偏心量 100mm				偏心量 200mm				偏心量 300mm			
		価格	L <sub>s</sub>	ℓ	重量	価格	L <sub>s</sub>	ℓ	重量	価格	L <sub>s</sub>	ℓ	重量
50	F × F	264,000	550	550	33	319,000	790	790	38	364,000	1,010	1,010	34
75	F × F	374,000	590	590	48	437,000	860	860	54	501,000	1,140	1,140	60
	F × S	369,000	720	720	46	430,000	990	990	52	492,000	1,270	1,270	79
	F × U	377,000	600	520	47	440,000	870	790	53	505,000	1,150	1,070	59
	U × U	374,000	610	450	47	449,000	880	720	53	507,000	1,160	1,000	59
	U × S	369,000	730	650	56	432,000	1,000	920	52	496,000	1,280	1,200	58
	S × S	358,000	850	850	46	424,000	1,120	1,120	51	483,000	1,400	1,400	58
100	F × F	494,000	630	630	67	582,000	910	910	74	680,000	1,180	1,180	81
	F × S	487,000	770	770	64	573,000	1,050	1,050	72	672,000	1,320	1,320	79
	F × U	494,000	650	570	65	582,000	930	850	73	680,000	1,200	1,120	80
	U × U	496,000	670	510	65	583,000	950	790	73	680,000	1,220	1,060	80
	U × S	487,000	790	710	64	573,000	1,070	990	72	673,000	1,340	1,260	79
	S × S	482,000	910	910	64	565,000	1,190	1,190	71	663,000	1,460	1,460	79

※フランジは7.5K仕様です。高圧仕様はお問い合わせください。 ※偏心量400mmに関しては弊社までお問い合わせください。  
※受口タイプには、接合部付属品は含まれておりません。  
※0.75MPaタイロッドが標準で付属しております。1.0MPa以上のタイロッドに関してはお問い合わせください。

# K形用 EBT-FF/EBT-FS/EBT-FU/EBT-UU/EBT-US/EBT-SS

※図面は前ページを御参照ください。

単位：mm (重量：kg)

呼び径	口金形状	偏心量 100mm				偏心量 200mm				偏心量 300mm			
		価格	La	ℓ	重量	価格	La	ℓ	重量	価格	La	ℓ	重量
150	F × F	658,000	670	670	90	816,000	980	980	102	953,000	1,280	1,280	110
	F × S	647,000	810	810	99	803,000	1,120	1,120	101	938,000	1,420	1,420	114
	F × U	659,000	690	610	90	817,000	1,000	920	100	953,000	1,300	1,220	112
	U × U	659,000	710	550	101	818,000	1,020	860	103	954,000	1,320	1,160	115
	U × S	650,000	830	750	91	803,000	1,140	1,060	100	942,000	1,440	1,360	113
S × S	630,000	950	950	91	792,000	1,260	1,260	103	933,000	1,560	1,560	115	
200	F × F	850,000	740	740	129	1,037,000	1,050	1,050	143	1,224,000	1,370	1,370	160
	F × S	850,000	880	880	133	1,037,000	1,190	1,190	150	1,181,000	1,510	1,510	170
	F × U	825,000	750	670	131	1,046,000	1,060	980	149	1,184,000	1,380	1,300	168
	U × U	857,000	760	600	129	1,046,000	1,070	910	147	1,190,000	1,390	1,230	166
	U × S	855,000	890	810	134	1,038,000	1,200	1,120	151	1,179,000	1,520	1,440	171
S × S	846,000	1,020	1,020	135	1,031,000	1,330	1,330	153	1,172,000	1,650	1,650	172	
250	F × F	1,051,000	790	790	185	1,284,000	1,130	1,130	210	1,452,000	1,460	1,460	235
	F × S	1,045,000	930	930	194	1,274,000	1,270	1,270	224	1,444,000	1,600	1,600	247
	F × U	1,048,000	800	720	189	1,282,000	1,140	1,060	219	1,452,000	1,470	1,390	242
	U × U	1,037,000	810	650	186	1,271,000	1,150	990	216	1,443,000	1,480	1,320	239
	U × S	1,036,000	940	860	191	1,266,000	1,280	1,200	221	1,434,000	1,610	1,530	244
S × S	1,030,000	1,070	1,070	196	1,260,000	1,410	1,410	227	1,427,000	1,740	1,740	250	
300	F × F	1,234,000	850	850	236	1,477,000	1,180	1,180	277	1,661,000	1,530	1,530	301
	F × S	1,216,000	1,020	1,020	254	1,452,000	1,350	1,350	285	1,636,000	1,700	1,700	317
	F × U	1,231,000	890	780	248	1,477,000	1,220	1,110	279	1,658,000	1,570	1,460	311
	U × U	1,218,000	930	710	248	1,474,000	1,260	1,040	279	1,658,000	1,610	1,390	311
	U × S	1,206,000	1,060	950	254	1,448,000	1,390	1,280	285	1,632,000	1,740	1,630	317
S × S	1,192,000	1,190	1,190	260	1,427,000	1,520	1,520	291	1,613,000	1,870	1,870	323	
350	F × F	1,636,000	970	970	331	1,752,000	1,280	1,280	361	2,085,000	1,660	1,660	397
	F × S	1,580,000	1,195	1,195	336	1,698,000	1,505	1,505	366	2,053,000	1,885	1,885	402
	F × U	1,618,000	995	885	329	1,746,000	1,305	1,195	359	2,090,000	1,685	1,575	395
	U × U	1,597,000	1,020	800	327	1,753,000	1,330	1,110	374	2,105,000	1,710	1,490	410
	U × S	1,559,000	1,220	1,110	349	1,701,000	1,530	1,420	379	2,066,000	1,910	1,800	415
S × S	1,540,000	1,420	1,420	354	1,661,000	1,730	1,730	384	2,025,000	2,110	2,110	420	
400	F × F	2,094,000	1,020	1,020	410	2,234,000	1,340	1,340	453	2,751,000	1,730	1,730	500
	F × S	2,004,000	1,255	1,255	416	2,206,000	1,575	1,575	459	2,651,000	1,965	1,965	506
	F × U	2,067,000	1,035	925	405	2,290,000	1,355	1,245	448	2,822,000	1,745	1,635	495
	U × U	2,039,000	1,050	830	416	2,303,000	1,370	1,150	459	2,770,000	1,760	1,540	506
	U × S	2,006,000	1,270	1,160	428	2,219,000	1,590	1,480	471	2,674,000	1,980	1,870	518
S × S	1,959,000	1,490	1,490	440	2,180,000	1,810	1,810	483	2,550,000	2,200	2,200	530	
450	F × F	2,588,000	1,050	1,050	514	2,820,000	1,360	1,360	565	3,271,000	1,740	1,740	623
	F × S	2,538,000	1,285	1,285	517	2,805,000	1,595	1,595	568	3,260,000	1,975	1,975	626
	F × U	2,625,000	1,075	965	507	3,001,000	1,385	1,275	558	3,476,000	1,765	1,655	616
	U × U	2,650,000	1,100	880	515	2,903,000	1,410	1,190	566	3,396,000	1,790	1,570	624
	U × S	2,569,000	1,310	1,200	527	2,805,000	1,620	1,510	578	3,292,000	2,000	1,890	636
S × S	2,481,000	1,520	1,520	540	2,771,000	1,830	1,830	591	3,226,000	2,210	2,210	649	
500	F × F	2,963,000	1,060	1,060	593	3,136,000	1,410	1,410	648	3,725,000	1,820	1,820	728
	F × S	2,925,000	1,300	1,300	598	3,125,000	1,650	1,650	653	3,953,000	2,060	2,060	733
	F × U	2,980,000	1,085	975	585	3,353,000	1,435	1,325	640	3,785,000	1,845	1,735	720
	U × U	3,000,000	1,110	890	794	3,253,000	1,460	1,240	588	3,763,000	1,870	1,650	929
	U × S	2,946,000	1,325	1,215	725	3,150,000	1,675	1,565	780	3,733,000	2,085	1,975	860
S × S	2,881,000	1,540	1,540	656	3,113,000	1,890	1,890	711	3,684,000	2,300	2,300	791	

※フランジは7.5K仕様です。高圧仕様はお問い合わせください。

※呼び径600以上に関しては弊社までお問い合わせください。 ※偏心量400mmに関しては弊社までお問い合わせください。

※受口タイプには、接合部付属品は含まれておりません。

※0.75MPaタイロッドが標準で付属しております。1.0MPa以上のタイロッドに関してはお問い合わせください。