





# NS形種管用 EBT-FSNE/EBT-FUNE/EBT-UNEUNE/EBT-UNESNE/EBT-SNESNE


フランジ (F)



受口 NS形種管 (UNE)



挿口 NS形種管 (SNE)



単位：mm (重量：kg)


| 呼び径 | 口金形状      | 偏心量 100mm |                |       |     | 偏心量 200mm |                |       |     | 偏心量 300mm |                |       |     |
|-----|-----------|-----------|----------------|-------|-----|-----------|----------------|-------|-----|-----------|----------------|-------|-----|
|     |           | 価格        | L <sub>s</sub> | l     | 重量  | 価格        | L <sub>s</sub> | l     | 重量  | 価格        | L <sub>s</sub> | l     | 重量  |
| 75  | F × SNE   | 469,000   | 770            | 770   | 45  | 532,000   | 1,040          | 1,040 | 50  | 591,000   | 1,320          | 1,320 | 56  |
|     | F × UNE   | 521,000   | 600            | 561   | 48  | 585,000   | 870            | 831   | 53  | 636,000   | 1,150          | 1,111 | 59  |
|     | UNE × UNE | 651,000   | 610            | 532   | 49  | 710,000   | 880            | 802   | 54  | 758,000   | 1,160          | 1,082 | 60  |
|     | UNE × SNE | 598,000   | 780            | 741   | 47  | 658,000   | 1,050          | 1,011 | 52  | 718,000   | 1,330          | 1,291 | 58  |
|     | SNE × SNE | 549,000   | 950            | 950   | 44  | 605,000   | 1,220          | 1,220 | 49  | 668,000   | 1,500          | 1,500 | 55  |
| 100 | F × SNE   | 601,000   | 810            | 810   | 63  | 650,000   | 1,090          | 1,090 | 70  | 714,000   | 1,360          | 1,360 | 77  |
|     | F × UNE   | 651,000   | 650            | 611   | 66  | 702,000   | 930            | 891   | 73  | 766,000   | 1,200          | 1,161 | 80  |
|     | UNE × UNE | 774,000   | 670            | 592   | 68  | 825,000   | 950            | 872   | 75  | 886,000   | 1,220          | 1,142 | 82  |
|     | UNE × SNE | 734,000   | 830            | 791   | 65  | 772,000   | 1,110          | 1,071 | 72  | 833,000   | 1,380          | 1,341 | 79  |
|     | SNE × SNE | 673,000   | 990            | 990   | 61  | 718,000   | 1,270          | 1,270 | 68  | 779,000   | 1,540          | 1,540 | 75  |
| 150 | F × SNE   | 767,000   | 900            | 900   | 91  | 921,000   | 1,210          | 1,210 | 100 | 1,027,000 | 1,510          | 1,510 | 112 |
|     | F × UNE   | 817,000   | 690            | 651   | 93  | 971,000   | 1,000          | 961   | 102 | 1,078,000 | 1,300          | 1,261 | 114 |
|     | UNE × UNE | 934,000   | 710            | 632   | 107 | 1,080,000 | 1,020          | 942   | 108 | 1,190,000 | 1,320          | 1,242 | 120 |
|     | UNE × SNE | 884,000   | 920            | 881   | 105 | 1,029,000 | 1,230          | 1,191 | 106 | 1,139,000 | 1,530          | 1,491 | 118 |
|     | SNE × SNE | 833,000   | 1,130          | 1,130 | 103 | 977,000   | 1,440          | 1,440 | 104 | 1,088,000 | 1,740          | 1,740 | 116 |

※受口タイプには、接合部付属品は含まれておりません。 ※偏心量400mmに関しては弊社までお問い合わせください。  
 ※0.75MPaタイロッドが標準で付属しております。1.0MPa以上のタイロッドに関してはお問い合わせください。


# NS形用 EBT-FSN /EBT-FUN /EBT-UNUN /EBT-UNSN /EBT-SNSN EB2T-FSN/EB2T-FUN/EB2T-UNUN/EB2T-UNSN/EB2T-SNSN

※UN呼び径75～450とSN呼び径200～450の型式はEB2Tです。


フランジ (F)




75～250の形状  
挿口 NS形 (SN)




300以上の形状  
挿口 NS形 (SN)



75～250の形状  
受口 NS形 (UN)



300以上の形状  
受口 NS形 (UN)



単位：mm (重量：kg)

| 呼び径 | 口金形状    | 偏心量 100mm |                |       |     | 偏心量 200mm |                |       |        | 偏心量 300mm |                |       |     |
|-----|---------|-----------|----------------|-------|-----|-----------|----------------|-------|--------|-----------|----------------|-------|-----|
|     |         | 価格        | L <sub>s</sub> | l     | 重量  | 価格        | L <sub>s</sub> | l     | 重量     | 価格        | L <sub>s</sub> | l     | 重量  |
| 75  | F × SN  | 460,000   | 775            | 775   | 47  | 520,000   | 1,045          | 1,045 | 52.50  | 569,000   | 1,325          | 1,325 | 59  |
|     | F × UN  | 510,000   | 674            | 520   | 52  | 573,000   | 944            | 790   | 57.50  | 633,000   | 1,224          | 1,070 | 64  |
|     | UN × UN | 658,000   | 758            | 450   | 56  | 716,000   | 1,028          | 720   | 61.50  | 767,000   | 1,308          | 1,000 | 68  |
|     | UN × SN | 605,000   | 859            | 705   | 51  | 666,000   | 1,129          | 975   | 56.50  | 726,000   | 1,409          | 1,255 | 63  |
|     | SN × SN | 554,000   | 960            | 960   | 45  | 612,000   | 1,230          | 1,230 | 50.50  | 674,000   | 1,510          | 1,510 | 57  |
| 100 | F × SN  | 579,000   | 840            | 840   | 66  | 633,000   | 1,120          | 1,120 | 72.50  | 707,000   | 1,390          | 1,390 | 80  |
|     | F × UN  | 633,000   | 734            | 570   | 74  | 689,000   | 1,014          | 850   | 80.50  | 745,000   | 1,284          | 1,120 | 64  |
|     | UN × UN | 782,000   | 838            | 510   | 80  | 832,000   | 1,118          | 790   | 86.50  | 901,000   | 1,388          | 1,060 | 94  |
|     | UN × SN | 740,000   | 944            | 780   | 73  | 785,000   | 1,224          | 1,060 | 56.50  | 866,000   | 1,494          | 1,330 | 63  |
|     | SN × SN | 680,000   | 1,050          | 1,050 | 65  | 765,000   | 1,330          | 1,330 | 71.50  | 844,000   | 1,600          | 1,600 | 79  |
| 150 | F × SN  | 765,000   | 885            | 885   | 90  | 889,000   | 1,195          | 1,195 | 101.50 | 1,030,000 | 1,495          | 1,495 | 111 |
|     | F × UN  | 807,000   | 780            | 610   | 101 | 952,000   | 1,090          | 920   | 112.50 | 1,093,000 | 1,390          | 1,220 | 122 |
|     | UN × UN | 1,038,000 | 890            | 550   | 111 | 1,123,000 | 1,200          | 860   | 122.50 | 1,264,000 | 1,500          | 1,160 | 132 |
|     | UN × SN | 935,000   | 995            | 825   | 100 | 1,038,000 | 1,305          | 1,135 | 111.50 | 1,163,000 | 1,605          | 1,435 | 121 |
|     | SN × SN | 889,000   | 1,100          | 1,100 | 90  | 992,000   | 1,410          | 1,410 | 101.50 | 1,135,000 | 1,710          | 1,710 | 111 |
| 200 | F × SN  | 978,000   | 960            | 960   | 131 | 1,155,000 | 1,270          | 1,270 | 144.50 | 1,301,000 | 1,590          | 1,590 | 162 |
|     | F × UN  | 1,009,000 | 848            | 670   | 144 | 1,196,000 | 1,158          | 980   | 157.50 | 1,309,000 | 1,478          | 1,300 | 175 |
|     | UN × UN | 1,190,000 | 956            | 600   | 158 | 1,353,000 | 1,266          | 910   | 171.50 | 1,469,000 | 1,586          | 1,230 | 189 |
|     | UN × SN | 1,142,000 | 1,068          | 890   | 145 | 1,302,000 | 1,378          | 1,200 | 158.50 | 1,428,000 | 1,698          | 1,520 | 176 |
|     | SN × SN | 1,136,000 | 1,180          | 1,180 | 133 | 1,310,000 | 1,490          | 1,490 | 146.50 | 1,451,000 | 1,810          | 1,810 | 164 |

※フランジは7.5K仕様です。高圧仕様はお問い合わせください。 ※偏心量400mmに関しては弊社までお問い合わせください。  
 ※0.75MPaタイロッドが標準で付属しております。1.0MPa以上のタイロッドに関してはお問い合わせください。  
 75～250 ※受口タイプには、NS形ゴム輪、セットボルト、屈曲防止リング・固定用ゴム、ロックリング、ロックリング芯出し用ゴムが含まれております。

# NS形用 EBT-FSN /EBT-FUN /EBT-UNUN /EBT-UNSN /EBT-SNSN EB2T-FSN/EB2T-FUN/EB2T-UNUN/EB2T-UNSN/EB2T-SNSN


※UN呼び径75～450とSN呼び径200～450の型式はEB2Tです。  
※図面は前ページを御参照ください。

単位：mm (重量：kg)

| 呼び径 | 口金形状    | 偏心量 100mm |                |       |     | 偏心量 200mm |                |       |     | 偏心量 300mm |                |       |     |
|-----|---------|-----------|----------------|-------|-----|-----------|----------------|-------|-----|-----------|----------------|-------|-----|
|     |         | 価格        | L <sub>s</sub> | ℓ     | 重量  | 価格        | L <sub>s</sub> | ℓ     | 重量  | 価格        | L <sub>s</sub> | ℓ     | 重量  |
| 250 | F × SN  | 1,271,000 | 1,010          | 1,010 | 190 | 1,434,000 | 1,350          | 1,350 | 215 | 1,651,000 | 1,680          | 1,680 | 240 |
|     | F × UN  | 1,313,000 | 898            | 720   | 203 | 1,497,000 | 1,238          | 1,060 | 230 | 1,676,000 | 1,568          | 1,390 | 253 |
|     | UN × UN | 1,535,000 | 1,006          | 650   | 221 | 1,702,000 | 1,346          | 990   | 246 | 1,876,000 | 1,676          | 1,320 | 271 |
|     | UN × SN | 1,514,000 | 1,118          | 940   | 207 | 1,645,000 | 1,458          | 1,280 | 232 | 1,818,000 | 1,788          | 1,610 | 257 |
|     | SN × SN | 1,405,000 | 1,230          | 1,230 | 194 | 1,590,000 | 1,570          | 1,570 | 219 | 1,759,000 | 1,900          | 1,900 | 244 |
| 300 | F × SN  | 1,405,000 | 1,165          | 1,165 | 275 | 1,660,000 | 1,495          | 1,495 | 308 | 1,909,000 | 1,845          | 1,845 | 340 |
|     | F × UN  | 1,478,000 | 921            | 780   | 272 | 1,779,000 | 1,251          | 1,110 | 304 | 1,994,000 | 1,601          | 1,460 | 336 |
|     | UN × UN | 1,751,000 | 992            | 710   | 297 | 2,048,000 | 1,322          | 1,040 | 318 | 2,269,000 | 1,672          | 1,390 | 359 |
|     | UN × SN | 1,670,000 | 1,236          | 1,095 | 301 | 1,948,000 | 1,566          | 1,425 | 332 | 2,211,000 | 1,916          | 1,775 | 364 |
|     | SN × SN | 1,621,000 | 1,480          | 1,480 | 303 | 1,844,000 | 1,810          | 1,810 | 333 | 2,142,000 | 2,160          | 2,160 | 367 |
| 350 | F × SN  | 1,736,000 | 1,300          | 1,300 | 380 | 1,951,000 | 1,610          | 1,610 | 381 | 2,303,000 | 1,990          | 1,990 | 418 |
|     | F × UN  | 1,836,000 | 1,026          | 885   | 353 | 2,068,000 | 1,336          | 1,195 | 312 | 2,433,000 | 1,716          | 1,575 | 418 |
|     | UN × UN | 2,135,000 | 1,082          | 800   | 394 | 2,420,000 | 1,392          | 1,110 | 423 | 2,770,000 | 1,772          | 1,490 | 459 |
|     | UN × SN | 2,037,000 | 1,356          | 1,215 | 450 | 2,286,000 | 1,666          | 1,525 | 424 | 2,636,000 | 2,046          | 1,905 | 457 |
|     | SN × SN | 1,933,000 | 1,630          | 1,630 | 390 | 2,154,000 | 1,940          | 1,940 | 419 | 2,503,000 | 2,320          | 2,230 | 455 |
| 400 | F × SN  | 2,134,000 | 1,355          | 1,355 | 434 | 2,432,000 | 1,675          | 1,675 | 479 | 2,881,000 | 2,065          | 2,065 | 526 |
|     | F × UN  | 2,378,000 | 1,068          | 925   | 426 | 2,664,000 | 1,388          | 1,245 | 470 | 3,068,000 | 1,778          | 1,635 | 515 |
|     | UN × UN | 2,729,000 | 1,116          | 830   | 460 | 3,010,000 | 1,436          | 1,150 | 512 | 3,411,000 | 1,826          | 1,540 | 530 |
|     | UN × SN | 2,488,000 | 1,403          | 1,260 | 469 | 2,822,000 | 1,723          | 1,580 | 511 | 3,226,000 | 2,113          | 1,970 | 558 |
|     | SN × SN | 2,246,000 | 1,690          | 1,690 | 478 | 2,556,000 | 2,010          | 2,010 | 520 | 3,039,000 | 2,400          | 2,400 | 567 |
| 450 | F × SN  | 2,717,000 | 1,395          | 1,395 | 553 | 3,036,000 | 1,705          | 1,705 | 603 | 3,610,000 | 2,085          | 2,085 | 661 |
|     | F × UN  | 3,001,000 | 1,108          | 965   | 535 | 3,324,000 | 1,418          | 1,275 | 585 | 3,809,000 | 1,798          | 1,665 | 643 |
|     | UN × UN | 3,704,000 | 1,166          | 880   | 573 | 3,849,000 | 1,476          | 1,190 | 623 | 4,426,000 | 1,856          | 1,570 | 681 |
|     | UN × SN | 3,311,000 | 1,453          | 1,310 | 593 | 3,642,000 | 1,763          | 1,620 | 643 | 4,091,000 | 2,143          | 2,000 | 701 |
|     | SN × SN | 2,993,000 | 1,740          | 1,740 | 614 | 3,329,000 | 2,050          | 2,050 | 664 | 3,870,000 | 2,430          | 2,430 | 722 |

※フランジは7.5K仕様です。高圧仕様はお問い合わせください。  
※呼び径500以上に関しては弊社までお問い合わせください。 ※偏心量400mmに関しては弊社までお問い合わせください。  
※0.75MPaタイロッドが標準で付属しております。1.0MPa以上のタイロッドに関してはお問い合わせください。  
75～250 ※受口タイプには、NS形ゴム輪、セットボルト、屈曲防止リング・固定用ゴム、ロックリング、ロックリング芯出し用ゴムが含まれております。  
300～450 ※受口タイプには、NS形ゴム輪、軽量T頭ボルト・ナット、押輪、バックアップリング、ロックリング、ロックリング芯出し用ゴムが含まれております。

## K形用 EBT-FF/EBT-FS/EBT-FU/EBT-UU/EBT-US/EBT-SS



単位：mm (重量：kg)

| 呼び径 | 口金形状  | 偏心量 100mm |                |     |    | 偏心量 200mm |                |       |    | 偏心量 300mm |                |       |    |
|-----|-------|-----------|----------------|-----|----|-----------|----------------|-------|----|-----------|----------------|-------|----|
|     |       | 価格        | L <sub>s</sub> | ℓ   | 重量 | 価格        | L <sub>s</sub> | ℓ     | 重量 | 価格        | L <sub>s</sub> | ℓ     | 重量 |
| 50  | F × F | 264,000   | 550            | 550 | 33 | 319,000   | 790            | 790   | 38 | 364,000   | 1,010          | 1,010 | 34 |
| 75  | F × F | 374,000   | 590            | 590 | 48 | 437,000   | 860            | 860   | 54 | 501,000   | 1,140          | 1,140 | 60 |
|     | F × S | 369,000   | 720            | 720 | 46 | 430,000   | 990            | 990   | 52 | 492,000   | 1,270          | 1,270 | 79 |
|     | F × U | 377,000   | 600            | 520 | 47 | 440,000   | 870            | 790   | 53 | 505,000   | 1,150          | 1,070 | 59 |
|     | U × U | 374,000   | 610            | 450 | 47 | 449,000   | 880            | 720   | 53 | 507,000   | 1,160          | 1,000 | 59 |
|     | U × S | 369,000   | 730            | 650 | 56 | 432,000   | 1,000          | 920   | 52 | 496,000   | 1,280          | 1,200 | 58 |
|     | S × S | 358,000   | 850            | 850 | 46 | 424,000   | 1,120          | 1,120 | 51 | 483,000   | 1,400          | 1,400 | 58 |
| 100 | F × F | 494,000   | 630            | 630 | 67 | 582,000   | 910            | 910   | 74 | 680,000   | 1,180          | 1,180 | 81 |
|     | F × S | 487,000   | 770            | 770 | 64 | 573,000   | 1,050          | 1,050 | 72 | 672,000   | 1,320          | 1,320 | 79 |
|     | F × U | 494,000   | 650            | 570 | 65 | 582,000   | 930            | 850   | 73 | 680,000   | 1,200          | 1,120 | 80 |
|     | U × U | 496,000   | 670            | 510 | 65 | 583,000   | 950            | 790   | 73 | 680,000   | 1,220          | 1,060 | 80 |
|     | U × S | 487,000   | 790            | 710 | 64 | 573,000   | 1,070          | 990   | 72 | 673,000   | 1,340          | 1,260 | 79 |
|     | S × S | 482,000   | 910            | 910 | 64 | 565,000   | 1,190          | 1,190 | 71 | 663,000   | 1,460          | 1,460 | 79 |

※フランジは7.5K仕様です。高圧仕様はお問い合わせください。 ※偏心量400mmに関しては弊社までお問い合わせください。  
※受口タイプには、接合部付属品は含まれておりません。  
※0.75MPaタイロッドが標準で付属しております。1.0MPa以上のタイロッドに関してはお問い合わせください。

# K形用 EBT-FF/EBT-FS/EBT-FU/EBT-UU/EBT-US/EBT-SS

※図面は前ページを御参照ください。

単位：mm (重量：kg)

| 呼び径   | 口金形状      | 偏心量 100mm |       |       |           | 偏心量 200mm |       |       |           | 偏心量 300mm |       |       |     |
|-------|-----------|-----------|-------|-------|-----------|-----------|-------|-------|-----------|-----------|-------|-------|-----|
|       |           | 価格        | La    | ℓ     | 重量        | 価格        | La    | ℓ     | 重量        | 価格        | La    | ℓ     | 重量  |
| 150   | F × F     | 658,000   | 670   | 670   | 90        | 816,000   | 980   | 980   | 102       | 953,000   | 1,280 | 1,280 | 110 |
|       | F × S     | 647,000   | 810   | 810   | 99        | 803,000   | 1,120 | 1,120 | 101       | 938,000   | 1,420 | 1,420 | 114 |
|       | F × U     | 659,000   | 690   | 610   | 90        | 817,000   | 1,000 | 920   | 100       | 953,000   | 1,300 | 1,220 | 112 |
|       | U × U     | 659,000   | 710   | 550   | 101       | 818,000   | 1,020 | 860   | 103       | 954,000   | 1,320 | 1,160 | 115 |
|       | U × S     | 650,000   | 830   | 750   | 91        | 803,000   | 1,140 | 1,060 | 100       | 942,000   | 1,440 | 1,360 | 113 |
| S × S | 630,000   | 950       | 950   | 91    | 792,000   | 1,260     | 1,260 | 103   | 933,000   | 1,560     | 1,560 | 115   |     |
| 200   | F × F     | 850,000   | 740   | 740   | 129       | 1,037,000 | 1,050 | 1,050 | 143       | 1,224,000 | 1,370 | 1,370 | 160 |
|       | F × S     | 850,000   | 880   | 880   | 133       | 1,037,000 | 1,190 | 1,190 | 150       | 1,181,000 | 1,510 | 1,510 | 170 |
|       | F × U     | 825,000   | 750   | 670   | 131       | 1,046,000 | 1,060 | 980   | 149       | 1,184,000 | 1,380 | 1,300 | 168 |
|       | U × U     | 857,000   | 760   | 600   | 129       | 1,046,000 | 1,070 | 910   | 147       | 1,190,000 | 1,390 | 1,230 | 166 |
|       | U × S     | 855,000   | 890   | 810   | 134       | 1,038,000 | 1,200 | 1,120 | 151       | 1,179,000 | 1,520 | 1,440 | 171 |
| S × S | 846,000   | 1,020     | 1,020 | 135   | 1,031,000 | 1,330     | 1,330 | 153   | 1,172,000 | 1,650     | 1,650 | 172   |     |
| 250   | F × F     | 1,051,000 | 790   | 790   | 185       | 1,284,000 | 1,130 | 1,130 | 210       | 1,452,000 | 1,460 | 1,460 | 235 |
|       | F × S     | 1,045,000 | 930   | 930   | 194       | 1,274,000 | 1,270 | 1,270 | 224       | 1,444,000 | 1,600 | 1,600 | 247 |
|       | F × U     | 1,048,000 | 800   | 720   | 189       | 1,282,000 | 1,140 | 1,060 | 219       | 1,452,000 | 1,470 | 1,390 | 242 |
|       | U × U     | 1,037,000 | 810   | 650   | 186       | 1,271,000 | 1,150 | 990   | 216       | 1,443,000 | 1,480 | 1,320 | 239 |
|       | U × S     | 1,036,000 | 940   | 860   | 191       | 1,266,000 | 1,280 | 1,200 | 221       | 1,434,000 | 1,610 | 1,530 | 244 |
| S × S | 1,030,000 | 1,070     | 1,070 | 196   | 1,260,000 | 1,410     | 1,410 | 227   | 1,427,000 | 1,740     | 1,740 | 250   |     |
| 300   | F × F     | 1,234,000 | 850   | 850   | 236       | 1,477,000 | 1,180 | 1,180 | 277       | 1,661,000 | 1,530 | 1,530 | 301 |
|       | F × S     | 1,216,000 | 1,020 | 1,020 | 254       | 1,452,000 | 1,350 | 1,350 | 285       | 1,636,000 | 1,700 | 1,700 | 317 |
|       | F × U     | 1,231,000 | 890   | 780   | 248       | 1,477,000 | 1,220 | 1,110 | 279       | 1,658,000 | 1,570 | 1,460 | 311 |
|       | U × U     | 1,218,000 | 930   | 710   | 248       | 1,474,000 | 1,260 | 1,040 | 279       | 1,658,000 | 1,610 | 1,390 | 311 |
|       | U × S     | 1,206,000 | 1,060 | 950   | 254       | 1,448,000 | 1,390 | 1,280 | 285       | 1,632,000 | 1,740 | 1,630 | 317 |
| S × S | 1,192,000 | 1,190     | 1,190 | 260   | 1,427,000 | 1,520     | 1,520 | 291   | 1,613,000 | 1,870     | 1,870 | 323   |     |
| 350   | F × F     | 1,636,000 | 970   | 970   | 331       | 1,752,000 | 1,280 | 1,280 | 361       | 2,085,000 | 1,660 | 1,660 | 397 |
|       | F × S     | 1,580,000 | 1,195 | 1,195 | 336       | 1,698,000 | 1,505 | 1,505 | 366       | 2,053,000 | 1,885 | 1,885 | 402 |
|       | F × U     | 1,618,000 | 995   | 885   | 329       | 1,746,000 | 1,305 | 1,195 | 359       | 2,090,000 | 1,685 | 1,575 | 395 |
|       | U × U     | 1,597,000 | 1,020 | 800   | 327       | 1,753,000 | 1,330 | 1,110 | 374       | 2,105,000 | 1,710 | 1,490 | 410 |
|       | U × S     | 1,559,000 | 1,220 | 1,110 | 349       | 1,701,000 | 1,530 | 1,420 | 379       | 2,066,000 | 1,910 | 1,800 | 415 |
| S × S | 1,540,000 | 1,420     | 1,420 | 354   | 1,661,000 | 1,730     | 1,730 | 384   | 2,025,000 | 2,110     | 2,110 | 420   |     |
| 400   | F × F     | 2,094,000 | 1,020 | 1,020 | 410       | 2,234,000 | 1,340 | 1,340 | 453       | 2,751,000 | 1,730 | 1,730 | 500 |
|       | F × S     | 2,004,000 | 1,255 | 1,255 | 416       | 2,206,000 | 1,575 | 1,575 | 459       | 2,651,000 | 1,965 | 1,965 | 506 |
|       | F × U     | 2,067,000 | 1,035 | 925   | 405       | 2,290,000 | 1,355 | 1,245 | 448       | 2,822,000 | 1,745 | 1,635 | 495 |
|       | U × U     | 2,039,000 | 1,050 | 830   | 416       | 2,303,000 | 1,370 | 1,150 | 459       | 2,770,000 | 1,760 | 1,540 | 506 |
|       | U × S     | 2,006,000 | 1,270 | 1,160 | 428       | 2,219,000 | 1,590 | 1,480 | 471       | 2,674,000 | 1,980 | 1,870 | 518 |
| S × S | 1,959,000 | 1,490     | 1,490 | 440   | 2,180,000 | 1,810     | 1,810 | 483   | 2,550,000 | 2,200     | 2,200 | 530   |     |
| 450   | F × F     | 2,588,000 | 1,050 | 1,050 | 514       | 2,820,000 | 1,360 | 1,360 | 565       | 3,271,000 | 1,740 | 1,740 | 623 |
|       | F × S     | 2,538,000 | 1,285 | 1,285 | 517       | 2,805,000 | 1,595 | 1,595 | 568       | 3,260,000 | 1,975 | 1,975 | 626 |
|       | F × U     | 2,625,000 | 1,075 | 965   | 507       | 3,001,000 | 1,385 | 1,275 | 558       | 3,476,000 | 1,765 | 1,655 | 616 |
|       | U × U     | 2,650,000 | 1,100 | 880   | 515       | 2,903,000 | 1,410 | 1,190 | 566       | 3,396,000 | 1,790 | 1,570 | 624 |
|       | U × S     | 2,569,000 | 1,310 | 1,200 | 527       | 2,805,000 | 1,620 | 1,510 | 578       | 3,292,000 | 2,000 | 1,890 | 636 |
| S × S | 2,481,000 | 1,520     | 1,520 | 540   | 2,771,000 | 1,830     | 1,830 | 591   | 3,226,000 | 2,210     | 2,210 | 649   |     |
| 500   | F × F     | 2,963,000 | 1,060 | 1,060 | 593       | 3,136,000 | 1,410 | 1,410 | 648       | 3,725,000 | 1,820 | 1,820 | 728 |
|       | F × S     | 2,925,000 | 1,300 | 1,300 | 598       | 3,125,000 | 1,650 | 1,650 | 653       | 3,953,000 | 2,060 | 2,060 | 733 |
|       | F × U     | 2,980,000 | 1,085 | 975   | 585       | 3,353,000 | 1,435 | 1,325 | 640       | 3,785,000 | 1,845 | 1,735 | 720 |
|       | U × U     | 3,000,000 | 1,110 | 890   | 794       | 3,253,000 | 1,460 | 1,240 | 588       | 3,763,000 | 1,870 | 1,650 | 929 |
|       | U × S     | 2,946,000 | 1,325 | 1,215 | 725       | 3,150,000 | 1,675 | 1,565 | 780       | 3,733,000 | 2,085 | 1,975 | 860 |
| S × S | 2,881,000 | 1,540     | 1,540 | 656   | 3,113,000 | 1,890     | 1,890 | 711   | 3,684,000 | 2,300     | 2,300 | 791   |     |

※フランジは7.5K仕様です。高圧仕様はお問い合わせください。

※呼び径600以上に関しては弊社までお問い合わせください。 ※偏心量400mmに関しては弊社までお問い合わせください。

※受口タイプには、接合部付属品は含まれておりません。

※0.75MPaタイロッドが標準で付属しております。1.0MPa以上のタイロッドに関してはお問い合わせください。